

## COATED SLEEVING



### QCS-130

Vinyl Coated  
Fiberglass  
Sleeving, Up to  
130°C, MIL-  
I-3190/2



### QCS-155

Acrylic Coated  
Fiberglass  
Sleeving, Up to  
155°C, MIL-  
I-3190/3



### QCS-200

Silicone Rubber  
Coated  
Fiberglass  
Sleeving, Up to  
200°C, MIL-  
I-3190/6



### QCS-220

Silicone Rubber  
Coated  
Fiberglass  
Sleeving, Up to  
220°C, MIL-  
I-3190/8



### QCS-240

Silicone Rubber  
Coated  
Fiberglass  
Sleeving, Up to  
240°C, MIL-  
I-3190/9



### QHS-130

Hermetic  
Fiberglass  
Sleeving, Up to  
130°C



### QRS-200

Silicone Resin  
Coated  
Fiberglass  
Sleeving, Up to  
200°C, MIL-  
I-3190/5



### QVS-220

Fluoroelastomer  
Coated  
Fiberglass  
Sleeving, Up to  
220°C, MIL-  
I-3190/7

# EXPANDABLE SLEEVING



## **QES-125**

Expandable  
Polyester  
Monofilament  
Sleeving, Up to  
125°C

## UNCOATED SLEEVING



### **QNS-105**

Flexible Nylon  
Uncoated  
Sleeving, Up to  
105°C, Military  
A-A-59301



### **QUS-200**

Flexible  
Fiberglass  
Uncoated  
Sleeving, Up to  
200°C, MIL-  
Y-1140H



### **QUS-316**

Flexible  
Fiberglass  
Uncoated  
Sleeving, Up to  
316°C, MIL-  
Y-1140H



### **QUS-482**

Flexible  
Fiberglass  
Uncoated  
Sleeving, Up to  
482°C, MIL-  
Y-1140H